

Standard for Rainscreen Terminology

Published December 2022



Foreword

The procedures used to develop this document and those intended for its further maintenance are described in RAINA's Policy for Balloting Official Documents.

Please submit any questions or any feedback on this document to admin@rainscreenassociation.org.

Copyright© 2021 Rainscreen Association in North America, Inc. (RAINA). All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the Rainscreen Association in North America, Inc. 1520 Belle View Blvd. Alexandria, VA 22307 admin@rainscreenassociation.org

Contents

- 1 Introduction 4
- 2 Scope..... 4
- 3 Normative References..... 4
- 4 Terms and Definitions 4
 - 4.1 Cavity..... 4
 - 4.2 Cladding 4
 - 4.3 Drainage Cavity..... 4
 - 4.4 Exterior Cavity 5
 - 4.5 Non-load Bearing Wall Element 5
 - 4.6 Rainscreen 5
 - 4.7 Rainscreen Cavity 5
 - 4.8 Rainscreen Cladding 5
 - 4.9 Water Control Layer 5
 - 4.10 Drainage..... 5
 - 4.11 Vented..... 5
 - 4.12 Ventilated..... 6
 - 4.13 Drained and Vented Rainscreen..... 6
 - 4.14 Drained and Ventilated Rainscreen..... 6
 - 4.15 Pressure Equalized Rainscreen..... 6
 - 4.16 Pressure Moderated Rainscreen..... 6

1 Introduction

This document is intended to provide standardized terms and definitions for the rainscreen industry and associated systems, assemblies, sub-assemblies, accessories, materials, and products.

Standard for Rainscreen – Terminology

2 Scope

This document provides a vocabulary of terms used in the field of rainscreen industry along with related industries that covers materials, products, accessories, components, sub-assemblies, assemblies, systems, installation, and applications. Some of the terms can have a different meaning when used in other industries or applications.

The purpose of this terminology is to provide meanings and explanations of technical terms in the buildings field, written for both the non-expert and the expert user.

Terms are listed in alphabetical sequence. Compound terms appear in the natural spoken order.

3 Normative References

There are no normative references in this document.

4 Terms and Definitions

4.1 Cavity

Space in a wall assembly.

4.2 Cladding

Non-load bearing wall element, inclusive of any coating and/or finish, serving as the outer layer, that is unprotected from exterior environmental conditions.

4.3 Drainage Cavity

Space in an enclosure wall assembly between the *cladding* and the water resistive barrier that provides a passive means of directing liquid water to the exterior.

4.4 Exterior Cavity

Space in an enclosure wall assembly between the *cladding* and the backup wall.

4.5 Non-load Bearing Wall Element

Material or system that transfers load to the structure, does not contribute to overall structural performance of the wall and resists its own weight as well as loads imposed by surfaced mounted accessories that are allowed by design.

4.6 Rainscreen

Assembly applied to an exterior wall which consists of, at minimum, an outer layer, an inner layer, and a cavity between them sufficient for the passive removal of liquid water and water vapor.

4.7 Rainscreen Cavity

Space in an enclosure wall assembly between the *cladding* and the water resistive barrier that provides a passive means of directing liquid water to the exterior and sufficient airflow to remove water vapor.

4.8 Rainscreen Cladding

Cladding that is the water shedding outer layer of a *rainscreen* assembly.

4.9 Water Control Layer

The continuous layer comprised of one or more materials that resist the passage of liquid water.

4.10 Drainage

The passive movement of liquid water by gravity.

4.11 Vented

Limited passive exchange of air between the *cavity* and exterior through openings. Contrast with “ventilated.”

4.12 Ventilated

Passive exchange of air between the cavity and exterior through multiple openings that facilitate uniform airflow.

4.13 Drained and Vented Rainscreen

A *rainscreen* assembly with a vented *cavity* drained to the exterior.

4.14 Drained and Ventilated Rainscreen

A *rainscreen* assembly with a ventilated *cavity* drained to the exterior.

4.15 Pressure Equalized Rainscreen

A *rainscreen* assembly where, in theory, the air pressure acting on the exterior of the *cladding* is always equal to the pressure in the *rainscreen cavity*, thereby resulting in no pressure difference across the *cladding*. See “pressure moderated rainscreen” for practical application of this concept.

4.16 Pressure Moderated Rainscreen

A *rainscreen* assembly where the pressure acting across the *cladding* is substantially reduced but does not achieve the theoretical state where the pressure on the exterior is always equal to that in the *rainscreen cavity*.